Hikvision camera added to the mobile APP

1. Open the IE browser and enter the camera IP address to log in server web.



2. Click"configuration - network - advanced setting - platform access ".

HIKVISION®	Live View Playba	ack Picture C	onfiguration				👤 admin	Help	E* Logout
🖵 Local	SNMP FTP Email	Platform Access HTTPS	1 QoS 802.1x	Integration Protocol	Network Service	Alarm Server			
E System	Platform Access Mode	Hik-Connect	~						
Network 2	Enable								
Basic Settings	Server IP	Itedev.sgp.hik-connect.com	Custom						
Advanced Settings 3	Register Status	Online	~						
Qo Video/Audio	Verification Code	•••••	e.						
ia Image		6 to 12 characters allowed, includin upper-case and lower-case letters,	3						
Event Event		a combination with at least 8 characters of all the three above	<i>F</i> .						
Storage		mentioned types is recommended.Note: The 6-charact	ar						
		combination "ABCDEF" and any other case sensitive combination of							
		allowed.							
	 External Linkage via H 	lik-ProConnect							
	If enabled, you can set	the linkage rules via Hik-ProConnect	to trigger the linkag	e actions between the o	camera and other devi	ices. Get Hik-ProConnect at www.hik-proconnect.com -			
		_							
	🗎 Save								
http://192.168.1.64/doc/page/config/net	work/advancedHttps.asp				©2020 Hikvision	Digital Technology Co., Ltd. All Rights Reserved.			

- 3_{\sim} Set P2P content and verification code.
 - ① Choose HIK-Connect.
 - 2 click "Enable", enter and confirm the Verification Code.
 - ③ click"save"and refresh web .The register status content will show online.

HIKVISION®	Live View Playb	ack Picture	Configuration		上 admin 🎯 Help 🕞 Log
Local System System Network Basic Settings	SNMP FTP Email Platform Access Mode	Platform Access HTT Hik-Connect	TPS QoS 802.1x In	enation Putool Network Service Nam Server Note X	
Advanced Settings	Register Status	Online	~	To enable Hik-Connect service, you need to create a verification code or change the verification code.	
 Que orizonado Image Event Event Storage 	Verificant Code	bit D2 characters allowed, appendix and lower case and dight. To exame re device a confolution with at least meetinese types is recommended Note: The 6 combination WARCEPF and meetinese types is allowed. the linkage rules via H&-Prof Marchara Marchara this alphabetical order are r allowed. the linkage rules via H&-Prof Marchara Marcha	vel instuding letters, 8 occuby, 8 occuby, 8 occuby, 9 o	Verification Code	
				Confirm Verification Code	
				The Hik-Connect service will require internet access. Please read the " <u>Terms of Service</u> " and " <u>Privacy Policy</u> " before enabling the service.	
				OK Cancel	
			_	d20220 Hisvinion Digital Technology Co., Ltd. All Rights Reserved.	

4. Download the Hikvision mobile app HIK-connect on your mobile phone, open the mobile app, click Register, select a region, choose mobile registration or email registration, and fill in the correct verification code to automatically log in.

Download:https://www.hikvision.com/en/support/download/software/Hik-Connect/?q=

×		Q Search	
\bigcirc		Mainland China	86 🥝
		Malawi	265
		Malaysia	60
 Mobile Phone Number 		Maldives	960
er Forgot Password		Mali	223
		Malta	356
Login		Marshall Islands	692
VISITOF MODE (3)		Martinique	596
		Mauritania	222
		Mauritius	230
Mainland China >	1	Mayotte	262
Maintand China >		Mexico	52

hik-connect&position=2

5.

- ① Click"+" to add a device.
- 2 scan the QR code of the device body.
- (3) enter the device verification code.
- ④ Enter the device name.
- (5) Clicking the device to watch the video.





 Image: Second second

